
# BULLETIN

AMERICAN INSTITUTE
OF
APPLITETTS
APR 1 4 1966

society of architects

michigan

LIBRARY



# LESS LAMP MAINTENANCE HIGHER LIGHTING LEVELS


### 2 PROBLEMS SOLVED


Lamp maintenance at Vulcan Forging Co., Detroit, was too time consuming and costly, so completely new lighting equipment was installed. Mercury vapor lamps were used; the benefits were direct and immediate.

- Fewer lamps required
   Starters eliminated
- Longer lamp life
- Easier cleaning

The beauty of it is, the changeover improved the lighting level, too. And it's axiomatic that employees produce faster and with greater accuracy when there's good lighting to work under.

Architects and consulting engineers are invited to take advantage of the specialized knowledge of Edison's industrial lighting consultants. Plant managers and engineers can do so also. In Detroit, call WO 2-2100, ext. 2875. Elsewhere EDISON call your Edison office.






# Get a Full Measure of Quality

With Total Product Treatment

Having five, modern Heavy Media Plants now operating in the Detroit area, American Aggregates Corporation has been able to institute a policy referred to as Total Product Treatment. It means that all concrete aggregates have had the benefit of treatment by Heavy Media Separation. It also means American Aggregates' products will measure up to any job requirement.

If you specify or purchase concrete aggregates, get all the inherent advantages of natural, rounded aggregate plus - the Full Measure of Physical Quality provided by Total Product Treatment.



12500 Greenfield Ave. . Detroit, Michigan 48227



# LAST THINGS FIRST!

Pre-assembled PICO Safe Stairs go up before the building does . . .

... offer design flexibility and 20-30% savings over all other stairbuilding methods! Stairs no longer need be a component which causes construction delays. Designed for concrete, steel and masonry buildings, PICO Safe Stairs® are pre-assembled, delivered by truck and erected in minutes by crane operation. Once installed, they serve as "workeraccess" stairs, as well as true guides for all phases of construction.

PICO stairs are made of welded, structural steel, and their dimensions are always accurate as a result of close tolerances realized through in-plant quality control.

For additional information, or consultation to assist you in adapting the PICO idea to your individual plans, write or call: Haven-Busch Company, 3443 Chicago Drive, S.W., Grandville, Michigan 49418. 616/LE 2-3641







THE MONTHLY BULLETIN
S PUBLISHED FOR THE
MICHIGAN SOCIETY OF
ARCHITECTS TO ADVANCE
FHE PROFESSION OF ARCHITECTURE IN THE STATE OF MICHIGAN.

MSA OFFICERS

PRESIDENT

Robert L. Wold

VICE PRESIDENT Jay S. Pettitt, Jr.

SECRETARY

Chase Black

FREASURER

Jack Monteith MSA DIRECTORS

Paul B. Brown F. Huston Colvin Gordon Cornwell Jackson B. Hallett Walter M. Laitala Louis Menk

Bruce H. Smith Robert S. Swanson James E. Toniblinson

DIRECTOR. MICHIGAN REGION

Philip J. Meathe

EDITOR Robert M. Beckley

MANAGING EDITOR-

Ann Stacy

ART DIRECTOR— Edward Hutcheson

GRAPHIC ARTS CONSULTANT-

Gary R. Grout Ann Arbor Press

ADVERTISING DIRECTOR

Charles O. Irvine

Aonthly Bulletin, Michigan Soiety of Architects, the official ublication of the Society; all Aichigan Chapters of the Amercan Institute of Architects; Yomen's Architectural League f Detroit (WALD); Producers Council, Inc., Michigan Chaper; Builders & Traders Exhanges of Detroit, Grand Rapeds and Lansing is published nonthly by the Michigan Architectural Foundation; Editorial and Advertising Offices—28 West nd Advertising Offices-28 West Idams, Detroit 26, Michigan Phone: 965-4100.

Volume 41-No. 4

- News
- 11 Editorial
- Honor Awards
- Building Technology-Concrete
- 23 Calendar
- Advertisers Index Classified

## McKINLEY MARQUEES enhance the beauty of your building designs while providing longlasting protection for people and products.

McKinley Marquees add dramatic design accents to your buildings while furnishing allweather protection for people, goods, and building. McKinley Marquees offer wide design flexibility with plain, fluted, or "vaulted" ceilings, fluted or plain fascia, and choice of three fascia depths-plus the economy of "standard" parts. Heavy gauge aluminum assures straight-line appearance with no waving. McKinley Marquees are designed to carry a minimum 30 lbs. per square foot live load capacity.

> Stainless steel and aluminum fasteners are used throughout. Butyl sealing compound in the joint assemblies allows ample expansion and contraction while maintaining a weather-tight joint. Water drainage is accomplished by integral gutters in the fascia. For complete information, call 546-1573 (Area 317) collect, or write direct to O. O. McKinley Co., Inc.



SUN SHADES . MARQUEES . WALKWAY AND DOCK COVERS . SUN CORNICES WALL FACING . FASCIA . ROOF VENTS . CUSTOM METALS

> Read Hall, Indiana University, Bloomington, Ind. James & Associates, Architects F. A. Wilhelm, Contractor

### **NEWS**

#### Next Month — GLASS

The second of a series of articles on Building Technology.

#### Eshbach to Receive Kemper Award

William W. Eshbach, FAIA of Philadelphia, Pa., has been named the recipient of the American Institute of Architects' 1966 Edward C. Kemper Award for his "significant contribution to the Institute and to the profession of architecture."

The award, voted by the AIA Board of Directors, will be presented at the national convention in Denver, June 26-July 1. It is given in memory of the late Edward C. Kemper, who was executive director of the Institute from 1914 to 1948.

Eshbach is a partner in the firm of Eshbach - Pullinger - Stevens & Bruder, of Philadelphia, winner of several design awards. A corporate member of AIA since 1953, he was elected to the College of Fellows in 1964. This lifetime honor was bestowed for design and service to the profession.

The award winner has been active in Institute affairs at every level. He served as a director of the Philadelphia Chapter, as president of the Pennsylvania Society of Architects and as director of the Pennsylvania Region, prior to being elected to the office of national vice president for the 1964-65

Eshbach has also served on several national committees. He has been chairman of the Committee on Committees (now Council of Commissioners), of the Commission on Professional Practice, of a board committee to develop the program for the 1963 convention, of the Documents Review Committee, of a board committee to develop a model "Statute of Limitations" act for use by state societies or chapters, and of a board study of the idea of AIA-Affiliated Councils.

Eshbach is currently chairman of the Institute's Nominating Committee, and he heads the Pennsylvania Society of Architects' committee developing an "Advance Planning Services Concept" for the state government.

#### Reynold Prize to LIT Senior

Gerald Yurk, 25 year old senior of the Lawrence Institute of Technology, is the winner of the 1966 sixth annual regional Reynolds Aluminum Prize for Architectural Students.

A graduate of Flint Northern High in 1959, he is the son of Mr. and Mrs. John C. Yurk, Flint.

The presentation of a \$200 check was made by Ray R. Shevchik, regional architect specialist for Reynolds Metals Company, Southfield. Also participating was Dr. Earl Pellerin, director of the LIT School of Architecture.



Gerald Yurk

The student prize, administered by the American Institute of Architects, is offered for the "best original design of a building component in alumi-

Yurk's design was "A Three Dimensional Fenestration System." It is entered, along with designs of winners from other participating schools of architecture in the United States, in the competition for the national Reynolds Prize providing a cash award of \$5,000 divided equally between the student and his school. This award will be presented during the A.I.A. Convention in Denver, June 26-30.

#### MAP 7th Annual Congress

The 7th Annual Congress of the Professions, sponsored by the Michigan Association of the Professions, will be held in Detroit Saturday and Sunday, May 14-15, 1966, with the Pontchartrain Hotel as headquarters for the meeting.

As in previous years the Congress will attract many of the key professional people in the state as well as representatives of professional organizations from approximately 30 states.

The meeting is open to all members of the professions represented in MAP. These new include: architecture, certified public accounting, dentistry, education, engineering, law, medicine, pharmacy and veterinary medicine. Delegates from the state and local organizations of the professions will be sent to the weekend session.

"The World of the Professional" is the theme for the 1966 Congress. Outstanding world-famous speakers are being invited to bring news of key importance to the individual professional man. Of equal importance is the opportunity this Congress provides for the leading professional people of Michigan in these major professional groups to meet in an atmosphere of cultural interest and professional har-

President of MAP, architect Adrian N. Langius, comments: "This Congress will have everything rolled up in one. A unique weekend; professionally conceived, professionally executed and professionally worthwhile."

#### King & Lewis Appoint Engineer

Harry S. King, President of King & Lewis Architects and Engineers, Inc., announces the appointment of Robert S. Tarske as Director of Engineering.

Tarske is a graduate engineer and attended Detroit Institute of Technology and University of Alabama, is a member of American Society of Refrigeration and Air-Conditioning Engineers and is a registered Professional Engineer in the States of Michigan and Massachusetts.

Tarske's responsibilities will encompass the design of all mechanical and electrical facilities for the firm.

#### A/E Liaison **Commission Meets**

Publication of a joint document on "Professional Collaboration in Environmental Design" was approved by the Architect-Engineer Liaison Commission at its recent meeting in Washington. The document, which will be jointly published, outlines principles of professional relationship between architects, engineers and landscape architects. In addition to the American Institute of Architects, the National Society of Professional Engineers and the Consulting Engineers Council, which compose the commission, the document has been approved by the American Society of Civil Engineers and the American Society of Landscape Architects.

F. Spencer Roach, AIA was elected chairman to succeed George S. Rawlins NSPE; Harold King CEC was named as vice chairman.

The commission also reviewed and approved the Construction Industry Arbitration Rules, establishing a procedure for arbitration of disputes in the construction industry, to be administered by the American Arbitration Association.

Members of the commission expressed serious concern that present educational methods are not producing a sufficient number of qualified persons to perform professional services in building design, and adopted a resolution requesting that the current AIA study of architectural education include the related interests of other design professions concerned with building construction.

Discussion also centered about architectural and engineering fees, and it was resolved that AIA be requested to conduct its pending study of architectural design costs in collaboration with NSPE and CEC in order to make the results as broadly significant as possible for both architectural and engineering aspects of the fee structure.

#### Reno Appointed To Flint Firm

MacKenzie, Knuth & Klein, Architects, Inc., Flint, announce the appointment of Ronald Reno, AIA, as an associate principal member of their firm effective January 1, 1966.

Reno attended Flint Technical High School and served with the U.S. Marine Corps, 2nd Marine Air Wing.



Ronald Reno AIA

Upon his return from military duty he attended Flint Junior College and received his architectural degree from the College of Architecture and Design at the University of Michigan in 1958.

He joined MacKenzie, Knuth and Klein in 1958 and currently is a project architect. He received his registration in the State of Michigan in October of 1965 and is a member of the Flint Area Chapter, American Institute of Architects and the Michigan Society of Architects.

#### Conditioned Environment Conference Scheduled

A conference is scheduled for the University of Michigan, May 3-4, for architects and consulting engineers. It will cover the newest ideas on design concepts for the control of environment electrically in commercial and industrial buildings.

Opening with a luncheon at the Michigan League on Tuesday, May 3, the program will run through the afternoon of May 4 at Rackham Auditorium. A hospitality hour and banquet at the Washtenaw Country Club will feature Judge D. Vokes as speaker the evening of May 3.

This conference is sponsored by the University of Michigan School of Architecture and Design, the Michigan Society of Architects and the Michigan Electric Association.

The University of Michigan Extension Service will be arranging for housing and transportation to and from the banquet. There will be a modest registration charge.

The Adult Education Service Department, University of Michigan-Ann Arbor will handle all arrangements.


### 12 APRILS

... That is what you can offer your customers when you work with SISCO! Twelve months of controlled rain, . . . . any time they want it. SISCO also offers a complete design service backed by over 40 years of experience. Such quality materials as Buckner rotary pop-up sprinklers and automatic controls are recommended and stocked by SISCO and its distributors. Choose materials by SISCO and be an irrigation expert by proxy!!



#### SPRINKLER IRRIGATION SUPPLY CO.

Division of A. J. Miller, Inc. 1316 North Campbell Road - Royal Oak, Michigan Detroit Phone: 313, 548-7272 - Chicago Phone: 312, 346-9355 Look under BUCKNER Sprinklers in the Yellow Pages



#### **HEC&S Begin** Classroom Building

Construction has begun on the new \$5,450,000 "Classroom and Office Building" at Michigan State University. Designed by Harley, Ellington, Cowin and Stirton, Inc., Architects and Engineers, the 219,432 square foot building, actually a complex, will include a seven-story office building, a one-story Lecture Hall section and a three-story Classroom building servicing the M.S.U. Mathematics and Language Departments.

The first four floors of the office Building will be devoted to the Mathematics and Statistics Departments, with the top three being assigned to the Foreign Language Departments. In all, the seven-story portion of the building will include some 280-10 by 12 foot faculty office units, seminar rooms, conference rooms and library.

The one-story Lecture Hall section is designed to accommodate 1,470 students, the Lecture Area will have a 600-student, sloped floor Lecture Hall, two similarly designed 20-student Lecture Halls, and one to accommodate 150 students. A 200-student Language Laboratory with fixed booths and a two-level central control room also will be included in this section.

The three-story Classroom Section will include a total of 49 classrooms with a total capacity for 1,718 students. Twelve classrooms are equipped with wall control panels and speakers enabling the instructor to start or stop tapes in the Lower Central Control Room of the Language Laboratory. Twenty-five classrooms have conduit and provisions for speakers for sound from audio-visual equipment.

Contractors for the building are: Building work—Miller Davis Company; mechanical work-Robert Carter Corporation; electrical-Hall Electric Company and elevators - Westinghouse Electric. Scheduled completion date is Spring 1967.

#### School Modernization Book

"New Life for Old Schools", a 100page report on solutions to the problems associated with modernization of outmoded school plants, is now in its second printing, sponsored by The Research Council of the Great Cities Program for School Improvement.

The book includes examples of good modernization practices, statements on programs and procedures from each of the Great Cities, discussions of the problem by architects, contractors and engineers, a modernization bibliography and other illustrations and statements on the subject. The book was edited by Ben E. Graves, who is the project director of the school modernization study under a grant from the Educational Facilities Labor-

The purpose of the Research Council is to conduct studies of unique problems faced by the Great Cities in their efforts to meet the comprehensive public school needs of their children. Member cities are: Baltimore, Boston, Buffalo, Chicago, Cleveland, Detroit, Houston, Los Angeles, Milwaukee, New York, Philadelphia, Pittsburgh, St. Louis, San Francisco and Washington. D.C.

Single copies of "New Life for Old Schools" are available at \$2.50 each from The Research Council of the Great Cities Program for School Improvement, 5400 North St. Louis Avenue, Chicago, Illinois 60625.

#### New Engineering Group Formed

The Society of County Engineers of Wayne County (SCE) has announced its organization. Membership is restricted to employees of the County of Wayne who are: 1) graduates of an accredited college of engineering or architecture or 2) are registered under the provisions of the Registration Act for Architects, Professional Engineers and Land Surveyors of the State of

The SCE has as its objectives: a. The advancement of the sciences of engineering and their application. b. The dissemination of information pertaining to Engineering and related activities. c. To contribute to the development and betterment of the com-

### built a better place to do business



Best & Company Store Building Northland Center Southfield, Michigan

Frederick Stickel Associates, Architects Holforty, Widrig, O'Neil & Levin Associates, Structural Engineers

Four different forms of American prestressed and precast concrete structural components were used in this striking store building. These included twin tee flooring, supporting columns and exterior aggregate surfaced fascia panels and canopys.

Here is another interesting example of how prestressed and precast concrete members can contribute both beauty and utility to a commercial structure. Other plus advantages include: fire resistance, durability, ease of construction, spaciousness, design flexibility and low maintenance costs.

#### AMERICAN PRESTRESSED CONCRETE, INC. Subsidiary of DeClerk Industries

6419 E. 10 Mile Rd., Centerline, Mich. SLocum 7-3815 munity. d. To promote the educational, professional and cultural development of its members, and to improve their general welfare.

The Society's members are found primarily in the Wayne County Road Commission and in the Wayne County Drain Commission and are spread over the length and breadth of the County in the performance of their professional duties. SCE is similar in nature to the Society of Municipal Engineers of Detroit (SMED) which was organized in 1953.

SCE is administrated by a Board of Directors consisting of its officers and directors. The officers are: President Thomas J. Marks of Allen Park, 1st Vice-Pres. Edward P. Tobin of Detroit, 2nd Vice-Pres. Joseph T. Leonard of Grosse Pointe Farms, Secretary Arthur E. Sundstrom of Allen Park and Treasurer Samuel L. Compton of Southgate. The directors are: Philip Epstein of Detroit, William G. Sutherland of Riverview, Howard B. Tripp of Plymouth Township, John E. Kinville of Detroit, James L. Hamilton of Livonia and Alexander Radzibon of Detroit.

#### Williams Products, Inc. **New Location**

Andrew D. Rae, President of Williams Equipment & Supply Company, recently announced the relocation of the company's Headquarter Offices from Hazel Park to the Birmingham Airport Industrial Row Subdivision.

Architect Francis Bartlett is drawing plans for what will be a 15,000 square foot General Office and manufacturing facility at that location.

Rae announced concurrently that Williams Equipment & Supply was merging with its wholly owned Subsidiary, Williams Seals & Gaskets Division. The corporate reorganization is to become effective March 1, 1966.

Mr. Rae also said that the company name would be changed to Williams Products, Inc. to better describe the widening horizons of customer service.

Williams has dealers and representatives in every major U.S. city and in Canada.

#### Firm Re-Organizes

Holforty, Widrig, O'Neil & Levin Associates Inc. anounces a reorganization of the firm and name change: Holforty, Widrig, O'Neill & Associates,

Effective March 1, 1966, Clifford Holforty will temporarily assume the duties of Director of Mechanical and Electrical Engineering and Production Manager and Arne Leppanen, Chief Mechanical Engineer. Silberg and Leppanen are Associates of the firm.

Arthur Buttery and Raymond Perry, newly elected Associates, will continue in their capacities as Project Managers and Senior Mechanical and Electrical Engineers, respectively.

Frederick Oleszkowicz, Chief Structural Engineer, and Associate, Calvin Saari, Head of Structural Detailing and Harry Johnson, Mechanical and Electrical Field Inspector, will continue in their present capacities.

The firm will continue to serve all of its present clients and projects and will actively pursue its policy of providing the best engineering service in all of the areas of engineering in which it now practices: structural, mechanical and electrical engineering and structural detailing.

#### Library Building Outline Available

The Michigan State Library has recently published a suggested outline for library building programs as a guide to architects.

Clarence Walters, Building Consultant for the Library states that while working with librarians planning new library facilities it has become apparent that the greatest difficulty in planning good functional buildings is the librarian's inability to present the library's needs to the architect.

The guide was developed with the aid of architects and library building consultants in the state. Copies of this outline are available from Michigan State Library, 735 East Michigan Avenue, Lansing.

To architect Terence O'Toole Hats off for ceramics in schools He armors the halls, Floors, ceilings and walls With ceramic tile, cool, man, but cool.



CERAMIC TILE PROMOTION FUND, INC.

15139 WEST EIGHT MILE ROAD . DETROIT, MICHIGAN 48235

#### **GLF&EA Award Palmer** and Saulter Awards

At a recent meeting of the Board of Directors of the Great Lakes Fabricators and Erectors Association, recognition was extended to Robert C. Palmer, President of the R. C. Mahon Company, for his outstanding service



N. Saulter & G. McKeough

to the steel industry during the two years he served as President of the American Institute of Steel Construction, Inc.

At the same meeting, the board also presented a plaque to Nathaniel O. Saulter, President of Acorn Iron Works, Inc. in greatful recognition for his leadership as President of the Association during the years of 1964 and 1965.



R. Palmer & N. Saulter

Civic Center Competition

A \$25 million civic center, consisting of a 17,000-seat arena, a 3,000-seat concert hall and a theater seating 1,000 will be completed in Birmingham, Alabama in 1970. Financed by taxes already in effect, the civic center project will be constructed and operated by the Civic Center Authority of the Cities and County of Jefferson County, Alabama.

Architect for the project will be selected by an A.I.A. approved national competition. Formal anouncement of the competitions will be made in about four months.


The Authority, an independent public corporation formed by the Alabama Legislature, is operated by a sixman board of directors. A. S. Lacy, 1918 First Avenue North, Birmingham, Alabama, is Chairman of the Board.

Saginaw Firm Appoints P.E.

The firm of Spence and Smith, Architects in Saginaw anounces the appointment of Donald G. Bennett, P.E., to the position of construction supervisor and field inspector for all

projects in the construction phase.

Bennett is a registered Professional Engineer in the State of Michigan and was most recently employed by the Michigan Department of Health as a hospital consulting engineer for the previous three and one-half years. Prior to this, he held various positions in the construction field with the E. J. Benes Company, Cleveland; Mississippi Valley Structural Steel Corporation; Clark Construction Company, Lansing; and the General Motors Corporation.




additional distinctive advantages that make its specification most logical

There are a number of good reasons for selecting DuLite for a roof system. Exceptional insulating value is but one. It has a .75 noise reduction value . . . 2-hour U.L. rating for fire resistive, money-saving construction . . . permanence . . . resistance to moisture and deterioration . . . greater maintenance economy. There's more to tell. Write for catalog.

PRECAST CONCRETE PRODUCTS, INC., Box 1277, Oshkosh, Wisconsin

### **Exposed concrete surfaces** add dramatic beauty to Pontiac's newest school system building



This Administration Building for the City of Pontiac school system came from the design boards of Eberle M. Smith Associates, Inc., of Detroit. A. N. Hickson, Inc., of Detroit, was general contractor.


One of the finest additions to Michigan's educational plant is the new Administration Building for the Pontiac public school system. The architect, Eberle M. Smith Associates, Inc., provided a distinctive and attractive structure by leaving the concrete frame exposed, added special interest

with a precast concrete grid. The effective design resulted in both charm and economy.

More and more architects are finding that versatile concrete offers unrivaled opportunities for imaginative design to complement its advantages in economy, durability and low maintenance cost.

#### PORTLAND CEMENT ASSOCIATION 900 Stoddard Building, Lansing, Michigan

An organization to improve and extend the uses of concrete, made possible by the financial support of most competing cement manufacturers in the United States and Canada



# 4 = ARCHITECT

#### WHAT IS THE ROLE OF THE ARCHITECT IN THE WAR ON UGLINESS?

This seemed to be the ever persistent question at the 52nd Annual Convention of the MSA devoted to "The War on Ugliness - No Time For Delay". Some participants in the Convention were outspoken in their dislike of the military jargon which has been adopted by the AIA, and the implications this has as it relates to the role of the architect. The words "war" and "ugly" would seem to fit together yet wars are destructive and while we might wish to destroy what we dislike we have been slow to present images of the changed environment.

Ugliness can be physical, moral or social. A definition of ugliness? One was proposed at the Convention. "Ugliness is the difference between what exists and the potential for what might exist." Ugliness only exists when we can see the potential for something better. As architects this is our responsibility.

It was also suggested that architects have three roles to play:

the architect as citizen

the architect as architect

the architect as a member of an interest group

Most architects perform well in the first two roles and shed the third. Yet the problems we are so fond of talking about are too big to be tackled by individuals. Individual visions are not enough. The MSA could act as a positive lobby for the potential that does exist. It could create an image of what might be.

The California Council of the AIA adopted a Special Committee On Problems Of Environment (SCOPE) in 1964. The committee was given the following assignment: "1. To take inventory of all existing organizations now

active with some facet of our total problem of

- 2. To prepare a roster of individuals at the leadership level of each of said organizations, as well as a summary of purpose and interest of each group.
- 3. To prepare a roster of individuals not identified with the listed leadership of the above listed organizations, but who could and should be helpful to our common
- 4. To determine what new, if any, organizations should be created to cover facets of the total problem now lacking attention.

To develop a possible structure for a state wide citizens action group who would combine the efforts to increase the accomplishments of the many groups and individuals now concerned about a beautiful and orderly environment."

The New York Chapter AIA has adopted a special study entitled "Planning and Community Appearance". The first principle of the document reads . . .

"Whatever may have been the case in other times and places, in our modern American culture, beautiful communities can be created and maintained only through a deliberate search for beauty on the part of the community leadership and the designers of environment, backed by a lively appreciation of the visual world by the people."

As architects we can define specific problems confronting the physical environment. We can suggest alternatives to the way things are. We can provide community and state wide leadership with positive visions and stimulate positive

# MICHIGAN SOCIETY OF ARCHITECTS 1966 HONORS AWARDS PROGRAM

The jury for this year's awards consisted of four prominent St. Louis architects, Robert Elkington, AIA; George Hagee, AIA; Kenneth Wischmeyer, FAIA and Joseph Murphy, FAIA. The large number of awards (12) represents the juries praise for the large quantity

and high quality of the submissions this year. In order to give proper recognition to the award winners we will publish the winning entries throughout the succeeding months. The juries somewhat ubiquitous remarks are included.

### FIRST HONOR AWARD



SCIENCE AND TECHNOLOGY LABORATORY
UNIVERSITY OF MICHIGAN
ANN ARBOR, MICHIGAN
SMITH, HINCHMAN & GRYLLS ASSOCIATES, INC.
Detroit, Michigan
Architects and Engineers
SPENCE BROTHERS
Saginaw, Michigan
General Contractor
JOHNSON, JOHNSON & ROY, INC.
Ann Arbor, Michigan

Jury Comment: "Considering the scope of the program this is a handsome solution. The grouping and massing of the buildings in relation to the site is excellent."

Landscape Architects

### FIRST HONOR AWARD




FRATERNITY RESIDENCE ALPHA OF MICHIGAN OF SIGMA PHI CORPORATION ANN ARBOR, MICHIGAN DAVID W. OSLER Ann Arbor, Michigan Architect

KENNETH D. DAVIDSON Ann Arbor, Michigan **General Contractor** 

Jury Comment: "Pleasant treatment, restrained and careful execution of a good plan. Good character in relationship of plan elements."

### AWARD OF MERIT



MANUFACTURING, LABORATORY AND OFFICE BUILDING AVON PRODUCTS, INC. SPRINGDALE, OHIO SOL KING, ARCHITECT AND ALBERT KAHN ASSOCIATED ARCHITECTS AND ENGINEERS, INC. Detroit, Michigan **Associated Architects** 

Jury Comment: "A carefully worked out plan for an industrial building taking into consideration the element of natural light. It is arranged to give interest to the overall facade. Consistent use of materials produces an orderly appearance. The site development is interesting."

### HONORABLE MENTION



photo: Balthazar Korab

SWAINSON-WHITEHEAD VACATION HOUSE MANISTEE, MICHIGAN MEATHE, KESSLER AND ASSOCIATES, INC. Grosse Pointe, Michigan Architects WESTON H. SCHUELKE **General Contractor** 

Jury Comment: "A fresh and unique design, incorporating sympathetic use of materials in a natural setting. It is a comfortable plan expressing seasonable use."

### BUILDING TECHNOLOGY

# EXPOSED CONCRETI

The use of concrete as a finish material, though historically quite old, has recently gained the increased interest of architects in the Michigan area. The use of exposed concrete as a design element calls for great care in detailing, specifications and construction procedure. So that misunderstandings will not occur when an architect has specified exposed concrete he must know the variables with which he is working and the special requirements demanded of concrete left exposed.



Precast loadbearing wall system used in the design of an office building in Edina, Minn.

#### NEW CONCRETE SPECIFICATIONS GUIDE FOR MICHIGAN

The need for a more direct approach to the specification of concrete for architectural use in Michigan became apparent several years ago. The vast amount of unrelated information which is available to the architect, and the special mix designs offered by concrete producers, has made the development of good concrete specifications difficult. Many concrete specifications relate to strength requirements, without giving proper attention to the equally important aspects of durability, watertightness, appearance, workability, shrinkage, and other related design factors. The emphasis on strength alone in concrete mix designs is the cause of frequent omissions in specifications.

A recent publication of the concrete industry is helping to clarify the information which is available to Michigan architects and engineers who specify concrete for construction in this state. The new publication Michigan Suggested Standard Concrete Specifications for Buildings and Structures" provides a new and hitherto unavailable compilation of structural concrete design standards for Michigan use. The publication resulted from an extensive study of the many codes which currently govern concrete design.

Two years of cooperative effort were put into the research and publication of the specifications by the Portland Cement Association, Michigan Ready Mixed Concrete Association, Transit Mix Institute of Metropolitan Detroit, Michigan Sand and Gravel Association, the Edward C. Levy Company, and a number of individuals who contributed their experience and knowledge to the guide. The new specifications are being distributed through the Portland



Slip form construction with exposed concrete surfaces, Milwaukee, Wisconsin.

Cement Association. The PCA will also provide specific instructions in the use of the specifications which are intended to aid the architect, contractor and producer.

The new standards establish a more rational approach to structural concrete specification and are prepared from the standpoint of the architect's or engineer's total needs. This more comprehensive approach does not minimize strength requirements but merely upgrades other equally essential factors as related to the ultimate structural concept.

The new suggested standards have two objectives. The first is to provide recommendations which the architect and engineer can confidently accept, eliminating confusion in the specification of concrete. The second is to establish standards of performance which will result in fewer special mix designs, enabling the concrete producer to exercise better and closer control over his product.

While the new suggested specifications do not cover all

possible uses of this versatile material, the publication does provide a more workable guideline covering a majority of applications and a convenient collation of code information.

The new publication will not be a static document. Its sponsors contemplate periodic revisions to keep it responsive to changes in concrete technology.

#### FINISHING CAST-IN-PLACE CONCRETE

There has been a steady increase in the use of exposed cast-in-place concrete in the Michigan region. If concrete is to be used in this manner greater care must be taken in the specification of materials and construction procedure. The increased use of architectural concrete has not resulted from any single breakthrough in technology but is a result of belated recognition of the aesthetic and economic advantages that can be obtained through the use of proper design and erection procedures. The little information that does exist in the use of exposed concrete is based on empirical knowledge. While many architectural offices have carried on their own research, a comprehensive and coodinated scientific research program in this area is noticeably missing. It therefore becomes imperative for each architect using exposed concrete to develop his own field testing system for maintaining control over the appearance of his work. The general appearance of concrete is governed by its color and texture. Following are specific problems of control which relate to these two properties.

#### Color

There are a number of factors which can effect the color or discoloration of cast-in-place concrete.

1. Cement Color. Of the three constituent ingredients of concrete, cement, aggregate and water, cement generally is the strongest determinant of color. A comparison of commercially available cements reveals a considerable range of color and tone, running from warm light tan to cold dark gray. For color control, it is imperative that the cement used has been produced in the same mill from the same materials

under identical manufacturing conditions.

2. Cement Quantity and Water/Cement Ratio. The richness of a mix can greatly effect color. Rich mixes tend to be darker than lean mixes. The water/cement ratio is also an important variable with a high water/cement ratio concrete being lighter in color than a low water/cement ratio concrete. The usual measure of the water/cement ratio is the slump test. Careful control of the mix and well supervised slump testing will help produce a uniform color. The importance of field control should be obvious. Moisture absorbed by formwork can also reduce the water/cement ratio causing a darker coloration at the point of absorption. In the use of wooden forms, lumber species, moisture content, surface treatment with oil and sealers, and the amount of previous use can all effect the absorption characteristics of the form. Leakage at non-watertight joints will also cause a change in the water/cement ratio usually leading to a dark blemish where leakage has occurred.

3. Finish. Exposure of the aggregate is perhaps the most

common device for affecting surface color. Only a thin film of cement needs to be removed to expose the color of the fine aggregate. Large aggregate when it is exposed may have a color quite different from the small aggregate and cement. The amount of aggregate exposed can thus greatly affect the color as well as the texture of the surface. Sandblasting tends to dull the color of exposed aggregate, while bush-hammering which fractures the aggregate, exposes a clear color to view.

#### Texture

Concrete lends itself to a wide variety of textural possibilities and these can be created at various stages of construction.

1. Formwork. The material, configuration, and construction of the formwork can all affect the texture of the concrete surface. Common forming materials, plywood, wood boards, steel, fiberglass, plastics, all create different textures. Imperfections such as nail heads, dents and bulges will also become a part of the textural pattern. Joints and form ties also create very strong patterns. With the exception of slip forming, every forming technique produces a joint. Most attempts to conceal joints are unsuccessful unless the surface is grouted or bush hammered. Construction joints or pour joints are usually equally noticeable. It is good practice to provide reveals or positive breaks at intervals so that pours can be handled in reasonable amounts. To compensate for shrinkage, thermal effect and differential settlement control joints are used. Careful consideration before construction can help in establishing joints which can act as both control joints and construction joints. Forms are held together by ties which are usually placed at regular intervals two to three feet apart. If specified before construction, the location and placement of form ties can be accurately controlled. Ties leave holes from 1/4 in. to 11/2 ins. in diameter and from 1/2 ins. to 2 ins. deep. The pattern may be exploited by using a pre-formed plug, tooling a circular reveal at the tie or partially filling the hole to leave a slight circular depression. The placement of the ties is as much an architectural consideration as it is a technical consideration when concrete is left exposed.

2. Surface Treatment. Sandblasting and bush hammering are the most common mechanical devices for affecting surface texture. The degree of hardness of the concrete will affect the results of both methods. Sandblasting will give different results dependent upon the size of the abrasive, the size and shape of the nozzle and the pressure propelling the abrasive. Bush hammering will vary with the size and shape of the cutting head, the length of impact stroke and the direction and motion of the stroke. Chemical retardants are sometimes used on formwork to prevent the setting of surface cement, allowing this to be washed away to expose the aggregate.

Because of the many variables involved in cast-in-place concrete the architect must become expert in the small details of construction procedures. The architect must specify the special requirements needed for his work and must be willing to educate the contractor to the degree of quality control desired and to the detailed construction techniques necessary to obtain the desired finish. It is also sometimes necessary to be responsive to the special limitations of the contractor or producer involved in the construction. In any case, it is desirable to produce a test panel so everyone concerned has an understanding of the result desired. This must be followed by careful field supervision by both the architect and the contractor. A successful job can only be accomplished with a well coordinated effort between the architect, contractor and supplier throughout the design and construction of the project.

#### GUIDELINES FOR THE USE OF PRECAST CONCRETE

The precast industry has been growing rapidly in the Michigan area. The number of standard sections which are available have been increased and a wide range of precast and prestressed sections are available. Double tees, single tees, deck, beam column and channel sections have all become standardized items. The methods used to manufacture these sections vary a great deal depending upon the



photos Short & Millgard



Standard single tee precast units. UAW Hall, Grand Rapids, Michigan, Baumgarten and DeWinter AIA, Architects.

producer. In specifying these sections the architect must clearly specify those producers who manufacture sections with an acceptable performance. The cost can also vary widely among producers, depending upon the size and location of the project and the work load of the producer.

An exciting potential of precast concrete is the creation of special sections. While the freedom which this technique allows is usually emphasized, an understanding of its limitations is essential to the creation of a quality job.

#### Forms

Forming is usually built using wood, plastics, steel or fiberglas. The form can be a highly crafted item and may be constructed to a tolerance of 3/32 of an inch for a ten foot length. The economics of precasting become attractive only with reuse of the form. An average of 50 to 70 casts can be provided from a single form. When more casts are called for, inexpensive plastic molds can be made from the original positive pattern and the cost of form making is reduced. Savings in repetitive form work can quickly be lost if special sections must be made to fit non-repetitive conditions. These special conditions may sometimes be solved by the use of other materials, development of a more complete initial section, or field pours which eliminate costly form work.

#### Size

Size limitations are established by weight and transportation limitations. The maximum weight of panel which can be handled at the precast yard or on the site is currently about twenty tons, but with the rapid sophistication of hoisting equipment this limit might quickly be exceeded. Trucking and road regulations limit the dimensions. Sizes over 9' x 40' are possible to transport but will most likely require handling during special hours and also require an escort-expensive penalties. There is however compensation for keeping panel sizes as large as possible, for joints, handling, and connections can all be reduced by using large size units.

#### Finish

Hand finishing processes are expensive, but utilization of the form work to achieve the desired textures can produce great savings in cost. Aggregate is often chosen for its ability to develop a particular texture or color, however, the use of local aggregate can bring very decided savings in material cost. Precast samples are usually deceiving when viewed from only a few feet away and it should be noted the finish often appears very different viewed from a distance when it is subjected to the uncertainties of light and weather. At a distance, subtle textures or colors are often lost and exotic aggregates purchased to gain special effects achieve negligible results.

#### Procedure


Precasting is a specialized industry and should be recognized as such. There are few standards in precast work but each manufacturer and producer has developed methods upon which he can depend. As our building technology becomes more and more specialized it is increasingly difficult to separate the design and construction processes. A recent example is the development of inserts for precast work which will receive neoprene glazing strips. This detail saves both time and material and contributes to a better articulated and more weathertight joint. Many construction decisions, if made a part of the initial design concept, can create major savings and a simplified design.

#### RESEARCH

The need for research in various areas of the concrete industry has already been cited in this article. There are however certain obvious limitations to research the concrete industry can provide within it's own field. A grant has recently been awarded to the University of Michigan by the Michigan Department of Economic Expansion to study the feasibility of a pre-cast concrete system which would integrate mechanical and lighting services as a part of the structural component.

The project, which is being directed by Professor Bruce E. Erickson of the Department of Architecture of the University of Michigan, hopes to offer the building industry of Michigan a component with the following characteristics:

- A repetitive structural system providing an efficient integration of the heating, venting, lighting and acoustical requirements.
- 2. A pre-cast building system that would lower building




Model showing three stages of construction in the standardzed floor and ceiling system with integrated mechanical and lighting services.

costs by an efficient use of materials and transportation methods.

 A mass-produced building product with the potential of reducing the buildings mechanical and structural space by 30 per cent.

Important by-products of the proposed system would include reduced construction time, increased quality control



A proposed mass-produced structural system designed to reduce mechanical and structural space requirements by thirty per cent.

and the basis for new employment opportunities. It is expected an increased flexibility of the buildings functional use may also be obtained.

The current research effort includes five related activities:

- Development of final component and system design data
  - A. Design and Stress Analysis
  - B. Construction Drawings
- 2. Design and Construction of Prototype Model
  - A. Fabrication of Casting Form
  - B. Casting the Structural Components
  - C. Field Construction of Prototype Model
- 3. System Testing
  - A. Load Tests
  - B. Deflection Tests
  - C. Lateral Stability Tests
- 4. Comparison and Evaluation of Test Results
- 5. Economic Considerations
  - A. Productivity
  - B. Marketability

At the present time, the idea of component or systemized construction is being reviewed with considerable interest by many builders and manufacturers of building products. Systems of mass production are demanded by today's building technology not only because of their economic potential but also as a means of quality control. Continuing investigation of new uses of concrete will no doubt bring many such advances to the building industry in Michigan in the near future.

This article was prepared with the cooperation of the Portland Cement Association, Precast/Schokbeton, Inc. and American Prestressed Concrete, Inc.

#### Officers Elected to Council

The Detroit Building Employees Labor Relations Council elected new officers to serve one year terms in 1966. The Council's membership is composed of representatives from sixteen building trade associations in the Detroit area. The new president is John J. Bruny, representative of the Detroit



John J. Bruny

Ceramic Tile Contractors' Association. Other elected officers are: Vice president, Frank E. Anderson, representative of the Builders' Association of Metropolitan Detroit and Secretary-Treasurer, Louis A. Scheich, of the George W. Auch Company, representing the Mason Contractors' Association.

Directors appointed at the same meeting area: Stanley E. Veighey, representing the Associated General Contractors, Jack T. Hayes, representing the Detroit Electrical Contractors' Association and David J. Orrell, representing the Carpenter Contractors' Association.

Purpose of the Detroit Building Employees Labor Relations Council is to promote harmony, certainty and uniformity in the relations between employers and employees in the construction industry.

#### Michigan Graduate Awarded Medal

Morley Baer, west coast photographer of architecture and nature, has been selected the recipient of the annual Architectural Photography Medal bestowed by the American Institute of Architects.

Baer, a native of Toledo, Ohio, will receive his medal at the annual AIA convention June 26-July 1 in Denver. The award will be conferred at the convention's opening business session on Monday, June 27.


Baer, who teaches photography parttime, has produced architectural photographs which have appeared in virtually all professional magazines. His photographs of the natural scene were featured recently in the Sierra Club book, "Not Man Apart." He also specializes in capturing on film historical buildings in the San Francisco

A former chairman of the photography department at the San Francisco Art Institute, Baer has produced work which has appeared in the following shows: Two Buildings Exhibit (Skidmore, Owings and Merrill's Crown Zellerbach and John Hancock Buildings), at the San Francisco Museum of Modern Art; also Three Photographers, at the San Francisco Art Institute; photographs of Andalucia, Spain, which he visited in 1958, at the De Young Museum; and photographs of the California coast at the Oakland Museum last year.

Baer holds bachelor of arts and master of arts degrees from the University of Michigan. He is a resident of Berkeley, Calif.

#### **Mason Contractors Elect Officers**

The newly elected officers of the Mason Contractors Association are: President, Frank R. Kruse, Vice President, James DeMare; and Secretary-Treasurer, Louis A. Scheich. Robert Shmina, Ken Pemberton and John Hassett were elected to three-year terms on the Board of Directors.



### JOHN E. GREEN CO.

INCORPORATED

**MECHANICAL** CONTRACTORS

Our 57th Year

220 Victor, Detroit TOwnsend 8-2400

2525 Carrollton, Saginaw 753-1446

# MICHIGAN DRILLING CO.

SOILS & FOUNDATION ENGINEERS SERVING THE MIDWEST SINCE 1928

Soils Explorations and Laboratory Testing for Foundations and Other Structures

Consulting Services in Soils Engineering, Research & Other Special Problems

14555 WYOMING AVE. **DETROIT 38, MICHIGAN** 933-9366



Specialists in -

- Erection
- Operation
- Maintenance of mechanical systems

(our 46th year)

## MECHANICAL **HEAT & COLD**

12300 HAMILTON AVENUE DETROIT 3, MICHIGAN TELEPHONE: TOWNSEND 8-9600

# M. Den Braven

Our 53rd Anniversary

--- SHEET METAL ----

VENTILATING ——

— AIR CONDITIONING —

9080 Alpine Avenue Detroit 4, Michigan WE 3-7494-5-6

### DID YOU EVER "DESIGN IN" A ROOF FAILURE?

What with today's faster pace, time-consuming meetings and tight schedules to meet, some architects pay little heed to good roof design. A roofing detail that worked for him once is sometimes used over and over again. And, at times, to his sorrow.

Who gets the blame? Invariably, the roofing contractor! Is that fair? After all, a contractor can only bid on the design and materials you specify on your plans. We contend that a lot of failures could have been prevented if more thought had been given to the roofing problem at hand.

May we suggest that you call your roofing contractor after the job has been awarded and discuss the aspects of the job with him? Perhaps you'll find that inserting an extra expansion joint or using a different flashing detail may prevent future problems for you. Don't let price alone becloud your judgement.

Learn to rely on the QUALIFIED, DEPENDABLE and EXPERIENCED roofing contractors belonging to the R.I.P.F.

### Roofing Industry Promotion Fund

Burleigh Grime **Executive Secretary**  8469 E. Jefferson Ave. Detroit 14, Mich.

Area Code 313

822-0700

For Beauty, Distinction, Permanence and Economy

# CENTURY BRICK COMPANY

14910 Linwood Ave. Detroit 38, Mich. 861-8200

# Charles R. BELTZ & Company

- Air Conditioning —
- Mechanical —
- Sheet Metal -
- Ice Rink —



15001 Charlevoix Detroit 48230 822-2070

**Architects Cited** for "Learning Center"

Smith & Smith Associates, Royal Oak architects, have received a citation from the American Association of School Administration (AASA) for the design of the new Learning Center addition for Detroit Country Day School. The DCDS project was one of 28 honored at the 230 school plants selected for exhibit from over 400 submissions from all sections of the country. These new buildings were selected by an eight-member jury of school administrators and architects as outstanding examples of school design for exhibit at the annual convention of the AASA February 12-17 in Atlantic City.

The citation particularly notes that the addition provides for changes in teaching methods and teacher-pupil relationships throughout the entire plant. The plan emphasizes independent study, self-initiative and diversifica-

tion in the program.

The Learning Center, for which construction bids were received February 7, is a part of Detroit Country Day School's Development Program in connection with the school's Fiftieth Year celebration. According to Dr. W. Rodman Snelling, Headmaster, the design of the new facility has developed directly from the "educational excellence that is our goal."

Firm Opens Canadian Office

The internationally-known firm of Eberle M. Smith Associates, Inc., Architects and Engineers, has established a subsidiary located in the Equity Chambers Building, 52 Chatham West, Windsor, Ontario, President Lyndon Welch, AIA announced.

The parent firm, now in its own new headquarters at 950 West Fort, Detroit, is a complete organization including: architectural, civil, structural, mechanical, electrical, site development and landscape design and field supervision.

The firm is internationally recognized for its work in architectural engineering design and technical research. It has done notable work in the many fields including: educational, institutional, governmental, commercial, industrial and housing.

The new Windsor office is staffed by G. John Stevens, member of the Royal Architectural Institute of Canada and Arvo J. Pouti, Professional Engineer, both registered in Canada. Alex J. Craig is business manager and Robert H. Liles is director of operations. All reside in the Windsor area.

Other directors are Eberle M. Smith, FAIA; Lloyd H. Wright, AIA; Gordon R. Lotts, P.E., and Welch.

#### ANNOUNCEMENTS

J. Ivan Dise, AIA, is confined to the Arnold Home, 18520 West Seven Mile Road, Detroit. He would appreciate hearing from old friends in the Chap-

The Metropolitan Detroit Millmen's Association recently announced the electron of Mr. Nelson W. Kropik as President. Kropik is a graduate of the University of Detroit, 1938, BS CE. Member of the AGC, CCA, Rackham Engineers Society and the Michigan Construction Safety Conference.

Adrian R. Noordhoek and Charles W. Scurlock, members of the Western Michigan Chapter, AIA, have announced the formation of their new firm, Noordhoek/Scurlock/ AIA Archi-

Both men are graduates of the College of Architecture and Design, University of Michigan and have been active in the profession in the Kalamazoo area for several years.

The office is located at 1703 Portage Street, Kalamazoo, telephone 616-342-6606.

John H. Damman was recently elected President of the newly organized Hardware Contractors Association of Metropolitan Detroit.

Damman attended St. Ambrose High School in Detroit, University of Detroit and University of Southern California, 1942. Past President of the Architectural Hardware Consultants, Michigan Chapter.

Tivadar Balogh, AIA, the treasurer. of the Huron Valley Chapter, has been elected Chairman of the Planning Commission, for the City of Plymouth, Michigan.

Vytautas J. Usas announces the opening of his office for the practice of architecture at 19504 West Seven Mile Road, Detroit. The telephone number is 313 532-1181. Mr Usas has been a member of the Detroit Chapter since

The Carpenter Contractors Association of Detroit elected Harry L. Wettlaufer, Jr. President for the year 1966.

Born in Bridgeton, New Jersey, graduated University of Pennsylvania in 1950. Presently Executive Vice President, Service Art Plastering, Inc. Past President of the Accoustical Contractors Association of Detroit and Past Officer of the Builder's Exchange of Detroit.

#### CALENDAR

#### 1966

April 1 Summer: Exhibit in Museum of Art: U of M; Jacques Brownson.

April Joint meeting - Detroit Chapter with Student Chapters, AIA. University of Detroit.

Architect and Consulting Engineers Con-May ference - University of Michigan, Ann

"Design in Stainless Steel", Statler Hilton May 12 Hotel, Detroit - 5:30 P.M.

May 14 & 15 Seventh Annual Congress of the Professions, Pontchartrain Hotel, Detroit.

AIA Convention, Denver Hilton Hotel, June 26 thru July 1 Denver.

August 4 thru 6 MSA Mid-Summer Conference, Grand Hotel, Mackinac Island.

#### 1967

12 & 13 MSA 53rd Annual Convention - Civic April Center, Lansing.

April 13-15 Gulf States Regional Convention, Hot Springs, Arkansas.

10-12 Wisconsin Chapter, Lake Lawn Lodge, May Delavan, Wis.

September 8-10 New Jersey Society of Architects, Essex and Sussex Hotel, Spring Lake, New Jersey.




VIKING CONTRACTING COMPANY, INC. GENERAL CONTRACTORS

14390 Wyoming Ave. Detroit, Mich



931-1000

". . . so you thought you had seen everything in windows!"



# **NEW!** ANDERSEN "PERMA SHIELD"

LOW MAINTENANCE, VINYL COVERED WINDOWS & GLIDING DOORS

### Won't Pit

77 Corrode

99 Dent

Warp

99 Rust

A permanent vinyl surface

Drop in, pick up a brochure and ask questions. An excellent opportunity to see this new kind of window as well as other Andersen products and make selections for your 1966 programs.

Visit our showroom on Fenkell to see other products



### KIMBALL & RUSSELL INC.

WHOLESALE SASH AND DOOR DISTRIBUTORS 2127 FENKELL AVE. DETROIT 38. MICH. UN. 13480

#### **OBITUARIES**

#### Wilbur R. Scholz, AIA

Wilbur R. Scholz died March 7, 1966 at the age of fifty-three. A project director with the firm of Giffels and Rossetti, had been with them since 1955.

A native of Lorain, Ohio, he recevied a B.S. in Architecture from Ohio State University in 1935 and came to Detroit as a draftsman with the firm of Mildner and Eisen. He was later employed by Giffels and Vallet, Inc., and the firm of C. L. T. Gabler before re-joining Giffels and Rossetti.

He was a member of the Detroit Chapter, AIA and the Michigan Society of Architects.

#### ADVERTISERS' INDEX American Aggregates Corp. 1 American Prestressed 7 Concrete, Inc. ... 22 Beltz, Charles R. & Co..... Century Brick Company...... 22 Ceramic Tile Promotion Fund Cooper, E. J. Equipment Co. ......... 24 Den Braven, M .... Detroit Edison Co. c2 Duwe Precast Concrete 9 Green, John E., Co., Inc. 20 Haven-Busch Co..... Kimball & Russell, Inc. 2 20 Kirby-Clark Co..... .... 24 Lahev, J..... McKinley, O. O. Co., Inc. 4 Mechanical Heat & Cold, Inc. 21 Michigan Consolidated Gas Co. ... c3 Michigan Drilling Co. 21 Portland Cement Assn. 10 Roofing Industry Promotion Fund 21 Sprinkler Irrigation Supply Co. 6

Standish Electric Sales....

Viking Contracting Co.....

#### WANTED

CLASSIFIED

Senior Draftsman and Project Coordinator. Unusual opportunity for diversified architectural work. Opening for associateship, profit sharing and participation in all phases of project planning and construction. Small office with widely varied project types. Only permanent position to be considered. Associated Professional Consulting Services, Oeming & Nelson Architects, 1117 Gratiot Avenue, Saginaw, Michigan.

WANTED—Experienced architectural draftsman for permanent addition to a staff of six practicing in its 17th year in Traverse City where the hunting, fishing, and skiing are in our front yard. FIELD, GRAHECK, BELL & KLINE, ARCHITECTS, 148 E. Front Street, Traverse City, Michigan.

#### Architectural Draftsmen

Immediate openings, diversified work, all phases. Some experience required. Good pay and fringe benefits. Send resume to Sedgewick, Sellers & Assoc., Inc., 1168 Robert T. Longway Blvd., Flint, Michigan 48503.


#### Architectural Construction Representative

Immediate responsible position as Architect's Field Representative in diversified construction, large and small, throughout Michigan. Good salary, fringe benefits and expenses. Send resume to Sedgewick, Sellers and Assoc., Inc., 1168 Robert T. Longway Blvd., Flint, Michigan 48503.

## PYR-A-LARM

24

CAN DETECT FIRES BEFORE
THERE IS VISIBLE SMOKE, HEAT or FLAME





# INVESTMENT

An excellent yearly return for an active or inactive investor.

Minority stock interests, in two companies, are being offered in the structural steel fabrication and erection industry with outstanding 25 year records of earnings. Their potential is unlimited.

The companies:

Argo Steel Construction Co.
Vulcan Iron & Wire Works

For complete information

call or write:

MR. J. LAHEY • 14230 JOY RD. DETROIT 28 • PHONE: 272-2970

#### IN CONCRETE SLABS

Where positive shrinkage crack control is a MUST

SPECIFY

JAHN—The fine line screed key that assures better appearance with no void in the concrete on the surface.



Key is of 25 Ga. galvanized steel, available in  $3\frac{1}{2}$ ",  $4\frac{1}{2}$ " &  $5\frac{1}{2}$ " sizes for 4", 5", 6" & 8" slabs. Lengths are 10'.

SAMPLES ON REQUEST

#### E. J. COOPER EQUIPMENT, INC.

24296 Telegraph Road Southfield, Michigan (313) 353-3420 If you've been thinking the only advantage to Gas heating (and air conditioning) is its economy...


read the small print.

And think about these important points: Convenience. (With Gas you forget about keeping space-taking tanks filled. Because your supply of Gas never runs out.) Installation. (Surprisingly simple.) Maintenance. (Surprisingly low.) Cleanliness. (Gas heat constantly circulates air, freshening and filtering it.) Adaptation to air conditioning. (The same ducts that carry Gas heat in winter can carry Gas coolness in summer. And our new low rates for air conditioning customers make this point especially worthwhile.) Uniform temperatures. (Gas heat is even, floor-to-ceiling heat. No too-hot or too-cold spots.)

Need we say more? Contact one of our heating and air conditioning engineers. He'll furnish all the details on the Gas heating and air conditioning system that fits your building plans. And he'll be happy to meet with you. Call him today. He's a most informative fellow.


MICHIGAN CONSOLIDATED GAS COMPANY

## city under construction



The building of the John F. Kennedy Underground Garage at the traditional hub of Wayne, Oakland and Macomb counties crowns a historic billion-dollar new construction year for the Detroit area. As the county trunk roads of years ago began and ended at this hub, so the focal point of area construction today is centered around the heart of Detroit. Proudly emerging within the core city, is the impressive appearance of concrete in an exciting variety of new shapes and forms. 

The Peerless Cement Company has served the Detroi area since 1897, and to commemorate this great renaissance of new building and spirit in our home town we have published a special edition of Peerless Profiles, saluting the many contributing forces behind thi thrilling upsurge. To receive your complimentary copy, please phone or drop us a line.



PEERLESS DIVISION = AMERICAN CEMENT CORP.

First In Michigan Since 1897 Free Press Building/Detroit, Michigan Area Code 313 961-6150

JOHN F. KENNEDY UNDERGROUND PARKING GARAG ARCHITECT: Albert Kahn Associates, Architects and Engineers, Detro CONTRACTOR: Darin and Armstrong, Inc., Detro

CONCRETE: Cooper Supply Company, Detro